

Users' Perception on Appropriateness of Robotic Coaching Assistant's Disclosure Behaviors

Atikkhan Faridkhan Nilgar¹, Manuel Dietrich² and Kristof Van Laerhoven¹

Abstract—Social robots have emerged as valuable contributors to individuals' well-being coaching. Notably, their integration into long-term human coaching trials shows particular promise, emphasizing a complementary role alongside human coaches rather than outright replacement. In this context, robots serve as supportive entities during coaching sessions, offering insights based on their knowledge about the users' well-being and activity. Traditionally, such insights have been gathered through methods like written self-reports or wearable data visualizations. However, the disclosure of peoples information by a robot raises concerns regarding privacy, appropriateness, and trust. To address this, we conducted an initial study [$n = 22$] to quantify participants' perceptions of privacy regarding disclosures made by robot coaching assistant. The study was conducted online, presenting participants with six prerecorded scenarios illustrating various types of information disclosure and the robot's role, ranging from active on-demand to proactive communication conditions.

I. INTRODUCTION

Social robots have shown significant potential in the field of well-being coaching. In human-robot interaction (HRI), robotic coaches have been examined in different environments such as workplace [1], [2], public [3], [4], lab [5], [6], [7] and at home [8], [9], [10]. In most approaches the robot takes the role of coach for instance through everyday well-being interventions or reinforcing positive habits [11].

Social robots are investigated less as coaching assistants in human-human coaching sessions. For instance, the information a social robot has acquired about individuals (their owner) habits, and emotional level can be very useful to be shared with a professional coach and taken forward by them. Such a supportive information providing role is promising, since we know of the need for well-being and activity brought into sessions from traditional therapy. That is why methods like written self-reports or even advanced techniques like wearable data analysis are used [12], [13]. However, robot disclosure of personal information in front of others, even to a human coach does raise valid concerns regarding privacy and appropriateness [14], [15].

In our approach, we looked at scenarios where a social robot serves as a supportive entity during coaching sessions,

providing insights based on their understanding of the users' well-being and activity. Complementary to this, robots could also directly receive this data from users when they choose to share it from on-body wearables and sensors in personal devices [16].

In this preliminary study, we aimed to measure how participants perceived privacy concerning the information disclosed by robot coaching assistants. Therefore, we seek to determine what impact the proactive role of the robot has on users' perception. We know from prior work that a robots degree of proactivity and independence significantly influences acceptance of robot behavior and the resultant HRI experience [17], [18]. However, independent decision-making power is also a potential reason for human concerns. The study was carried out as an online survey, where participants were exposed to six prerecorded scenarios. These scenarios were carefully designed to represent a variety of information disclosure types and the role of the robot, which varied from providing information as active on-demand and proactive conditions.

We aim to address the following research questions:

- **RQ1:** Does the proactivity of a robotic coaching assistant influence people's judgments of disclosure appropriateness?
- **RQ2:** Does the type of information shared by a robotic coaching assistant influence people's judgments of disclosure appropriateness?

This study is part of our ongoing efforts to understand the HRI in the context of disclosure appropriateness, particularly focusing on the delicate balance between providing coaching assistance and maintaining users' privacy. The insights gained from this study will inform the design and development of future robot coaching assistants, ensuring they are both effective in their role and respectful of disclosing users' private information. Furthermore, ensuring that social robots respect users' privacy while providing valuable assistance and support is essential for fostering trust and acceptance among users.

II. RELATED WORK

Prior work on the appropriateness of robot disclosure examines how suitable and acceptable it is for robots to share information in a given context such as in domestic environments [19], [20]. A research examined suitable strategies for disclosure by robots [21]. Participants received written scenarios illustrating social robots disclosing personal details about their owners to enhance human-human interaction. They were asked to choose from various robot behaviors

This work was supported by Honda Research Institute Europe GmbH.

¹Atikkhan Faridkhan Nilgar is with Ubiquitous Computing, University of Siegen, Hlderlinstrasse 3, 57076 Siegen, Germany atikkhan.nilgar@uni-siegen.de

¹Kristof Van Laerhoven is with Ubiquitous Computing, University of Siegen, Hlderlinstrasse 3, 57076 Siegen, Germany kvl@eti.uni-siegen.de

²Manuel Dietrich is with Honda Research Institute Europe GmbH, Carl-Legien-Strae 30, 63073 Offenbach am Main, Germany manuel.dietrich@honda-ri.de

differing in the degree of information disclosure. The results of this study on information content, relationship configurations, privacy expectations, and privacy attitudes provide insights into how robots can disclose private information in a manner that users perceive as appropriate.

A research on peoples attitudes about a service robot using customer data in conversation [22] was conducted in a cafe setting, which is considered a social grey area, mixing both public and private spaces. During the experiment, participants were subjected to privacy violations using the Theater Method rather than experiencing actual breaches of their privacy. The research examined various factors influenced by social dynamics related to data, including the origin of data, its beneficial or detrimental utilization, and the audience targeted by the robot’s verbal communication [22]. All of these factors were found to be potent predictors of participants’ social attitudes regarding the robot’s appropriateness [22].

Furthermore, a privacy controller called CONFIDANT [23] was designed. This controller utilizes contextual meta-data, such as sentiment, relationships, and topic of conversations to model privacy boundaries. The researchers first assessed human-human interaction scenarios for privacy sensitivity and then evaluated the effectiveness of the privacy controller in HRI. The study suggests that the privacy controller can help manage the information shared with the robots, discerning the sensitivity of the information, which is crucial for human-robot trust. The controller can handle disclosures in a way that respects the privacy of the users [23].

Prior studies have examined how robots disclose information in privacy settings [21], [22], [23], but they have not explored user perceptions of disclosures when robots serve as coaching assistants. Moreover, previous research hasn’t delved into how users perceive the appropriateness of disclosures from proactive communication of robots.

III. STUDY DESIGN

A. Participants

We sent a survey link via the university student email list as well as a social media channel (LinkedIn), inviting participation in our study. 22 participants completed the entire survey, with 16 identified as male, 5 as female, and 1 as diverse. 86% of participants fell within the age range of 18 to 49 years. 14 participants held a university degree, while 8 participants held a doctoral degree. 8 participants have prior experience with social robots and 14 participants have used smartwatches capable of tracking health activities.

B. System and Scenario

We employed a 3D virtual avatar robot named Meisy (Figure 1), previously developed and deployed as a virtual receptionist [24]. We devised a graphical user interface (GUI) based platform (Figure 2) for controlling Meisy’s text-to-speech dialogues and movements from other computer as typically used in a Wizard of Oz study [25], [26]. One of the involved researchers performed as a health and well-being coach, while Meisy served as the participant’s personal

assistant (Figure 1). Two introduction videos were recorded: One featuring active on-demand communication condition and another featuring proactive communication condition. In the active on-demand condition, Meisy responded only when explicitly called upon or prompted by the coach. Proactive social robots anticipate users’ needs and initiate interactions accordingly, engaging actively rather than merely reacting to commands [27]. We recorded the proactive condition where Meisy responded without explicitly being called or prompted by the coach.



Fig. 1. Participants were shown short first-person-perspective video clips in which a coach and the personal assistant Meisy discuss about the data from the participant’s smartwatch




Fig. 2. GUI to command Meisy dialogues with text-to-speech and change the gaze of Meisy (left and right)

Smartwatches possess the capability to monitor various health indicators, including heart rate, sleep condition, and levels of physical activity [28], [29], [30]. We selected three types of activity from the smartwatch: Sleep tracking, step counting, and heart rate monitoring. We formulated and scripted these activities’ information to ensure that they are perceived as private information to the participants. A total of six videos were recorded, three for each smartwatch activity, with both active on-demand and proactive conditions respectively. All videos featured both the coach and Meisy.

Table I is an example script of step activity with active on-demand and proactive conditions. In the dialogues, the term You refers to the participant. Similarly, we created scripts for sleep and heart rate information.

TABLE I
SCRIPT DIALOGUES ON STEP INFORMATION IN ACTIVE ON-DEMAND AND PROACTIVE CONDITIONS

Active On-Demand	
Coach	Meisy, do you have any information on step count?
Meisy	You spend a considerable amount of time sitting during your workdays.
Proactive	
Meisy	(<i>Meisy jump in the conversation of step count without being called</i>) You spend a considerable amount of time sitting during your workdays.

C. Procedure

After participants accepted our invitation, the link directed them to LimeSurvey (<https://www.limesurvey.org>). Subsequently, each participant agreed to the terms and conditions. Participants were then randomly allocated to either the active on-demand or proactive conditions. Next, participants were instructed to imagine that Meisy functions as their personal assistive social robot with an access to their smartwatch data. Following this, participants viewed three videos according to their assigned conditions, with the order of videos also being randomized. Each video was displayed twice to ensure participants paid attention to all details. At the end of each video, participants were prompted to answer a question on disclosure behavior appropriateness, as outlined in III-D, to evaluate their experience with Meisy. Additionally, participants from both conditions were asked to fill out a questionnaire assessing the perceived proactiveness of the personal assistant robot Meisy. Furthermore, an optional open question was asked. At the end, participants responded to a set of demographic questions and technical questions (prior experience with social robots and smartwatches). Figure 3 represents the flowchart of the survey procedure.

D. Measures

1) *Appropriateness*: We assessed the perceived appropriateness of Meisy’s disclosure of information regarding sleep, steps, and heart rate. After each video, participants were asked to rate their agreement with the statement Meisy’s disclosure behavior was appropriate. on a 5-point Likert scale ranging from Strongly Disagree (1) to Strongly Agree (5).

2) *Proactiveness*: To evaluate the perceived proactiveness of robot Meisy, we asked participants the following statements: Meisy was aware of the surrounding environment., Meisy was actively listening to the conversation., Meisy initiated interactions without waiting for explicit coach requests., Meisy adjusted its behavior based on context. and Meisys behavior was proactive. Participants were asked to rate their agreement with the statements on a 5-point Likert scale ranging from Strongly Disagree (1) to Strongly Agree (5). The average of the responses to each element of the scale was calculated to generate a perceived proactiveness score.




Fig. 3. Flowchart of the survey procedure

3) *Open-Ended Question*: We asked an optional open-ended question to participants: What do you like most about Meisy and what do you like least about Meisy? The responses of participants were stored in a textual format.

E. Analysis

We implemented means and standard deviation scores to analyze perceived disclosure appropriateness and perceived proactiveness. This statistical approach allowed us to assess the central tendency and variability of participants’ responses. We organized the open-ended question responses based on their similarity and shared sentiments.

IV. RESULTS

Among the 22 participants, half were randomly assigned to the active on-demand condition and the rest were assigned to the proactive condition. We identified mean differences in the appropriateness perception between the active on-demand and proactive conditions of sleep, steps and heart rate information disclosure. The active on-demand robot’s steps information disclosure ($M = 4.36, SD = 0.67$) is perceived as more appropriate when compared to steps information disclosures by the proactive robot ($M = 3.18, SD = 1.25$). Similarly, heart rate information with the active on-demand




Fig. 4. Disclosure appropriateness mean scores and standard deviations for active on-demand and proactive conditions with the activity type information (sleep, step and heart rate (HR))

robot ($M = 3.36$, $SD = 1.62$) is perceived as more appropriate when compared to heart rate information with a proactive robot ($M = 2.36$, $SD = 1.20$). Sleep information disclosed by the on-demand robot ($M = 3.63$, $SD = 1.12$) and sleep information with proactive robot ($M = 3.72$, $SD = 1.19$) show almost similar mean scores. Heart rate information is viewed as the least appropriate in both active on-demand and proactive robot conditions. All perceived disclosure appropriateness results can be found in Figure 4.




Fig. 5. Perceived proactiveness mean scores and standard deviations for active on-demand and proactive conditions

The results showed that participants of the proactive condition ($M = 3.41$, $SD = 0.50$) perceived the robot as more proactive according to our scale compared to the active on-demand condition ($M = 2.98$, $SD = 0.56$). Means scores of the proactive perception scale can be found in Figure 5.

Qualitative analysis of participants' experiences with Meisy through open-ended questions revealed varying perceptions based on both active on-demand and proactive

conditions. Participants in the active on-demand condition expressed a desire for Meisy to be more proactive [$n = 2$], while those in the proactive condition mentioned instances where Meisy interrupted the coach [$n = 2$]. Moreover, some participants expressed strong privacy concerns, consistently indicating strong disagreement with the appropriateness of information disclosure and described Meisy as intrusive [$n = 3$]. Their comments highlighted discomfort with Meisy disclosing private information and drawing medical conclusions from smartwatch data.

V. DISCUSSION

This study investigated users' perception on the appropriateness of robotic coaching assistant's disclosure in two communication conditions: active on-demand and proactive. Additionally, we used three types of activity information (sleep, step, and heart rate) of the smartwatch for each condition.

Due to the limited number of participants, we cannot make a definitive judgment on the perceived appropriateness. The results of this preliminary study imply that the proactivity of a robotic coaching assistant might play a role in people's judgments of disclosure appropriateness, as addressed in **RQ1**. Additionally, the perceived appropriateness of steps and heart rate information indicate distinctions between the active on-demand and proactive conditions (see: **RQ2**).

The participants were exposed to prerecorded videos illustrating various types of information disclosure, these scenarios may not encompass the full range of potential situations in real-life coaching scenarios. The smartwatch data information in our study did not include real private data from individuals similar to other disclosure appropriateness studies [31], [21]. However, we acknowledge that future studies including a larger number of participants and implementing real data in an offline study might produce concrete results. Additionally, employing additional statistical analysis (i.e., independent-samples t-test, Mann-Whitney U test) in future investigations could offer further insights into this research. Moreover, future studies could explore this research using an embodied or humanoid robot instead of a virtual robot avatar to validate the research questions.

The previous studies with proactive robots have generally indicated positive impacts on various aspects of HRI, including trust [32], perceived intelligence [33], user experience [17], and task performance [34]. However, our preliminary results hint towards less acceptance of the disclosure appropriateness of private information in robot's proactive condition compared to the active on-demand condition. The proactive communication of robots offers certain benefits, such as intelligence and trust, but its effect on information disclosure may necessitate careful consideration.

REFERENCES

- [1] M. Spitale, M. Axelsson, and H. Gunes, "Robotic mental well-being coaches for the workplace: An in-the-wild study on form," in *Proceedings of the 2023 ACM/IEEE International Conference on Human-Robot Interaction*, ser. HRI '23. New York, NY, USA: Association for Computing Machinery, 2023, p. 301310.

- [2] M. Spitale, M. Axelsson, and H. Gunes, "Vita: A multi-modal llm-based system for longitudinal, autonomous, and adaptive robotic mental well-being coaching," *ArXiv*, vol. abs/2312.09740, 2023.
- [3] M. Axelsson, M. Spitale, and H. Gunes, "Robotic coaches delivering group mindfulness practice at a public cafe," in *Companion of the 2023 ACM/IEEE International Conference on Human-Robot Interaction*, ser. HRI '23. New York, NY, USA: Association for Computing Machinery, 2023, p. 8690.
- [4] K. Matheus, M. Vázquez, and B. Scassellati, "A social robot for anxiety reduction via deep breathing," in *2022 31st IEEE International Conference on Robot and Human Interactive Communication (RO-MAN)*. IEEE Press, 2022, p. 8994.
- [5] M. Axelsson, N. Churamani, A. Caldir, and H. Gunes, "Participant perceptions of a robotic coach conducting positive psychology exercises: A systematic analysis," *ArXiv*, vol. abs/2209.03827, 2022.
- [6] I. P. Bodala, N. Churamani, and H. Gunes, "Teleoperated robot coaching for mindfulness training: A longitudinal study," in *2021 30th IEEE International Conference on Robot & Human Interactive Communication (RO-MAN)*. IEEE Press, 2021, p. 939944.
- [7] N. Churamani, M. Axelsson, A. Aldr, and H. Gunes, "Continual learning for affective robotics: A proof of concept for wellbeing," 06 2022.
- [8] S. Jeong, S. Alghowinem, L. Aymerich-Franch, K. Arias, À. Lapedriza, R. Picard, H. W. Park, and C. L. Breazeal, "A robotic positive psychology coach to improve college students wellbeing," *2020 29th IEEE International Conference on Robot and Human Interactive Communication (RO-MAN)*, pp. 187–194, 2020.
- [9] S. Jeong, L. Aymerich-Franch, S. Alghowinem, R. W. Picard, C. L. Breazeal, and H. W. Park, "A robotic companion for psychological well-being: A long-term investigation of companionship and therapeutic alliance," in *Proceedings of the 2023 ACM/IEEE International Conference on Human-Robot Interaction*, ser. HRI '23. New York, NY, USA: Association for Computing Machinery, 2023, p. 485494.
- [10] S. Jeong, L. Aymerich-Franch, K. Arias, S. Alghowinem, À. Lapedriza, R. Picard, H. W. Park, and C. Breazeal, "Deploying a robotic positive psychology coach to improve college students psychological well-being," *User Modeling and User-Adapted Interaction*, vol. 33, 07 2022.
- [11] M. Jelínek, E. Nichols, and R. Gomez, "Developing autonomous robot-mediated behavior coaching sessions with haru," in *Companion of the 2024 ACM/IEEE International Conference on Human-Robot Interaction*, ser. HRI '24. New York, NY, USA: Association for Computing Machinery, 2024, p. 573577.
- [12] G. Laban, A. Kappas, V. Morrison, and E. Cross, "Building long-term humanrobot relationships: Examining disclosure, perception and well-being across time," *International Journal of Social Robotics*, pp. 1–27, 11 2023.
- [13] I. Leite, C. Martinho, and A. Paiva, "Social robots for long-term interaction: A survey," *International Journal of Social Robotics*, vol. 5, pp. 291 – 308, 2013.
- [14] C. Lutz and A. Tam-Larrioux, "Do privacy concerns about social robots affect use intentions? evidence from an experimental vignette study," *Frontiers in Robotics and AI*, vol. 8, 2021.
- [15] D. Yang, Y.-J. Chae, D. Kim, Y. Lim, D. H. Kim, C. Kim, S.-K. Park, and C. Nam, "Effects of social behaviors of robots in privacy-sensitive situations," *International Journal of Social Robotics*, vol. 14, pp. 589 – 602, 2021.
- [16] B. Ozcan, D. Caligiore, V. Sperati, T. Moretta, and G. Baldassarre, "Transitional wearable companions: A novel concept of soft interactive social robots to improve social skills in children with autism spectrum disorder," *International Journal of Social Robotics*, vol. 8, 08 2016.
- [17] S.-Y. Chien, Y.-L. Lin, and B.-F. Chang, "The effects of intimacy and proactivity on trust in human-humanoid robot interaction," vol. 26, no. 1, p. 7590, aug 2022.
- [18] S. Buyukgoz, A. K. Pandey, M. Chamoux, and M. Chetouani, "Exploring behavioral creativity of a proactive robot," *Frontiers in Robotics and AI*, vol. 8, 2021.
- [19] M. Dietrich and T. Weisswange, "Exploring privacy implications for domestic robot mediators," in *Proceedings of the RTSS workshop at the 2022 Conference on Intelligent Robots and Systems (IROS)*, 2022.
- [20] B. Cagiltay, "Designing for in-home long-term family-robot interactions: Family preferences, connection-making, and privacy," in *Extended Abstracts of the 2023 CHI Conference on Human Factors in Computing Systems*, 2023, pp. 1–6.
- [21] M. Dietrich, M. Krger, and T. H. Weisswange, "What should a robot disclose about me? a study about privacy-appropriate behaviors for social robots," *Frontiers in Robotics and AI*, vol. 10, 2023.
- [22] S. Hedao, A. Williams, C. Wadgaonkar, and H. Knight, "A robot barista comments on its clients: Social attitudes toward robot data use," in *2019 14th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*, 2019, pp. 66–74.
- [23] B. Tang, D. Sullivan, B. Cagiltay, V. Chandrasekaran, K. Fawaz, and B. Mutlu, "Confidant: A privacy controller for social robots," 2022.
- [24] C. Wang, S. Hasler, M. Muehlig, F. Joublin, A. Ceravola, J. Deigmoeller, and L. Fischer, "Designing interaction for multi-agent cooperative system in an office environment," 2020.
- [25] J. F. Kelley, "An iterative design methodology for user-friendly natural language office information applications," *ACM Trans. Inf. Syst.*, vol. 2, no. 1, p. 2641, jan 1984.
- [26] L. D. Riek, "Wizard of oz studies in hri: a systematic review and new reporting guidelines," vol. 1, no. 1, p. 119136, jul 2012.
- [27] A. Henschel, G. Laban, and E. Cross, "What makes a robot social? a review of social robots from science fiction to a home or hospital near you," *Current Robotics Reports*, vol. 2, 03 2021.
- [28] M. Masoumian, T. Hosseini, K. Qayumi, S. Hosseinzadeh, and S. Tabar, "Smartwatches in healthcare medicine: assistance and monitoring: a scoping review," *BMC Medical Informatics and Decision Making*, vol. 23, 11 2023.
- [29] A. Jat and T.-M. Grnli, *Smart Watch for Smart Health Monitoring: A Literature Review*, 06 2022, pp. 256–268.
- [30] A. Hlzemann, J. Pithan, and K. Van Laerhoven, "Open-source data collection for activity studies at scale," 01 2022.
- [31] K. Martin, "Diminished or just different? a factorial vignette study of privacy as a social contract," *Journal of Business Ethics*, vol. 111, 12 2012.
- [32] L. Zhu and T. Williams, "Effects of proactive explanations by robots on human-robot trust." Berlin, Heidelberg: Springer-Verlag, 2020, p. 8595.
- [33] G. LeMasurier, A. Gautam, Z. Han, J. W. Crandall, and H. A. Yanco, "Reactive or proactive? how robots should explain failures," in *Proceedings of the 2024 ACM/IEEE International Conference on Human-Robot Interaction*, ser. HRI '24. New York, NY, USA: Association for Computing Machinery, 2024, p. 413422.
- [34] A. K. Pandey, M. Ali, and R. Alami, "Towards a task-aware proactive sociable robot based on multi-state perspective-taking," *International Journal of Social Robotics*, vol. 5, 04 2013.